

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Ames	4000B	1/2	H
RP	Ames	4000B	3/4	H
RP	Ames	4000B	1	H
RP	Ames	4000B	1 1/4	H
RP	Ames	4000B	1 1/2	H
RP	Ames	4000B	2	H
RP	Ames	4000BM2	1	H
RP	Ames	4000BM3	3/4	H
RP	Ames	4000CIV	2 1/2	H
RP	Ames	4000CIV	3	H
RP	Ames	4000CIV	4	H
RP	Ames	4000CIV	6	H
RP	Ames	4000CIV	8	H
RP	Ames	4000CIV	10	H
RP	Ames	4000RP	4	H
RP	Ames	4000RP	6	H
RP	Ames	4000RP	8	H
RP	Ames	4000RP	10	H
RP	Ames	4000SS	2 1/2	H
RP	Ames	4000SS	3	H
RP	Ames	4000SS	4	H
RP	Ames	4000SS	6	H
RP	Ames	400B	3/4	H
RP	Ames	400B	3/4	VD
RP	Ames	400B	1	H
RP	Ames	400B	1	VD
RP	Ames	400B	1 1/4	H
RP	Ames	400B	1 1/4	VD
RP	Ames	400B	1 1/2	H
RP	Ames	400B	1 1/2	VD
RP	Ames	400B	2	H
RP	Ames	400B	2	VD
RP	Ames	400B-A	3/4	VUVD
RP	Ames	400B-A	1	VUVD
RP	Ames	400B-A	1 1/4	VUVD
RP	Ames	400B-A	1 1/2	VUVD
RP	Ames	400B-A	2	VUVD
RP	Ames	400B-Z	3/4	VUVU
RP	Ames	400B-Z	1	VUVU
RP	Ames	400B-Z	1 1/4	VUVU

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Ames	400B-Z	1 1/2	VUVU
RP	Ames	400B-Z	2	VUVU
RP	Ames	Colt 400	2 1/2	H
RP	Ames	Colt 400	3	H
RP	Ames	Colt 400	4	H
RP	Ames	Colt 400	6	H
RP	Ames	Colt 400	8	H
RP	Ames	Colt 400BFG	4	H
RP	Ames	Colt 400BFG	6	H
RP	Ames	Colt 400N	2 1/2	VUVD
RP	Ames	Colt 400N	3	VUVD
RP	Ames	Colt 400N	4	VUVD
RP	Ames	Colt 400Z	2 1/2	VUVU
RP	Ames	Colt 400Z	3	VUVU
RP	Ames	Colt 400Z	4	VUVU
RP	Ames	Maxim 400	2 1/2	H
RP	Ames	Maxim 400	3	H
RP	Ames	Maxim 400	4	H
RP	Ames	Maxim 400	6	H
RP	Ames	Maxim 400N	2 1/2	VUVD
RP	Ames	Maxim 400N	3	VUVD
RP	Ames	Maxim 400Z	2 1/2	VUVU
RP	Ames	Maxim 400Z	3	VUVU
RP	Ames	U400B	3/4	H
RP	Ames	U400B	1	H
RP	Ames	U400B	1	VD
RP	Ames	U400B	1 1/4	H
RP	Ames	U400B	1 1/4	VD
RP	Ames	U400B	1 1/2	H
RP	Ames	U400B	1 1/2	VD
RP	Ames	U400B	2	H
RP	Ames	U400B	2	VD
RP	Ames	U400B-A	3/4	VUVD
RP	Ames	U400B-A	1	VUVD
RP	Ames	U400B-A	1 1/4	VUVD
RP	Ames	U400B-A	1 1/2	VUVD
RP	Ames	U400B-A	2	VUVD
RP	Apollo/Conbraco	4020002	3	H
RP	Apollo/Conbraco	4020003	3	H
RP	Apollo/Conbraco	4020005	3	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Apollo/Conbraco	4020102	1/4	H
RP	Apollo/Conbraco	40201A2	1/4	H
RP	Apollo/Conbraco	40201T2	1/4	H
RP	Apollo/Conbraco	40201T2S	1/4	H
RP	Apollo/Conbraco	4020202	3/8	H
RP	Apollo/Conbraco	40202A2	3/8	H
RP	Apollo/Conbraco	40202T2	3/8	H
RP	Apollo/Conbraco	40202T2S	3/8	H
RP	Apollo/Conbraco	4020302	1/2	H
RP	Apollo/Conbraco	40203A2	1/2	H
RP	Apollo/Conbraco	40203T2	1/2	H
RP	Apollo/Conbraco	40203T2S	1/2	H
RP	Apollo/Conbraco	4020402	3/4	H
RP	Apollo/Conbraco	40204A2	3/4	H
RP	Apollo/Conbraco	40204T2	3/4	H
RP	Apollo/Conbraco	40204T2S	3/4	H
RP	Apollo/Conbraco	40204T2U	3/4	VUVD
RP	Apollo/Conbraco	40204T2Z	3/4	VUVU
RP	Apollo/Conbraco	40204TC2	3/4	H
RP	Apollo/Conbraco	40204TCU	3/4	VUVD
RP	Apollo/Conbraco	4020502	1	H
RP	Apollo/Conbraco	40205A2	1	H
RP	Apollo/Conbraco	40205T2	1	H
RP	Apollo/Conbraco	40205T2S	1	H
RP	Apollo/Conbraco	40205T2U	1	VUVD
RP	Apollo/Conbraco	40205T2Z	1	VUVU
RP	Apollo/Conbraco	40205TC2	1	H
RP	Apollo/Conbraco	40205TCU	1	VUVD
RP	Apollo/Conbraco	4020602	1 1/4	H
RP	Apollo/Conbraco	40206A2	1 1/4	H
RP	Apollo/Conbraco	40206T2	1 1/4	H
RP	Apollo/Conbraco	40206T2U	1 1/4	VUVD
RP	Apollo/Conbraco	40206T2Z	1 1/4	VUVU
RP	Apollo/Conbraco	4020702	1 1/2	H
RP	Apollo/Conbraco	40207A2	1 1/2	H
RP	Apollo/Conbraco	40207T2	1 1/2	H
RP	Apollo/Conbraco	40207T2U	1 1/2	VUVD
RP	Apollo/Conbraco	40207T2Z	1 1/2	VUVU
RP	Apollo/Conbraco	4020802	2	H
RP	Apollo/Conbraco	40208A2	2	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Apollo/Conbraco	40208A4	2	H
RP	Apollo/Conbraco	40208T2	2	H
RP	Apollo/Conbraco	40208T2U	2	VUVD
RP	Apollo/Conbraco	40208T2Z	2	VUVU
RP	Apollo/Conbraco	4020902	2 1/2	H
RP	Apollo/Conbraco	4020903	2 1/2	H
RP	Apollo/Conbraco	4020905	2 1/2	H
RP	Apollo/Conbraco	4020A02	4	H
RP	Apollo/Conbraco	4020A03	4	H
RP	Apollo/Conbraco	4020A05	4	H
RP	Apollo/Conbraco	4020C02	6	H
RP	Apollo/Conbraco	4020C03	6	H
RP	Apollo/Conbraco	4020C05	6	H
RP	Apollo/Conbraco	4020E02	8	H
RP	Apollo/Conbraco	4020E03	8	H
RP	Apollo/Conbraco	4020G02	10	H
RP	Apollo/Conbraco	4020G03	10	H
RP	ARI	RP 500	3/4	H
RP	ARI	RP 500	1	H
RP	Buckner	24000	3/4	H
RP	Buckner	24000/25	3/4	H
RP	Buckner	24001	1	H
RP	Buckner	24001/25	1	H
RP	Buckner	24002	1 1/4	H
RP	Buckner	24002/25	1 1/4	H
RP	Buckner	24003	1 1/2	H
RP	Buckner	24003/25	1 1/2	H
RP	Buckner	24004	2	H
RP	Buckner	24004/25	2	H
RP	Cla-Val	RP2	3/4	H
RP	Cla-Val	RP2	1	H
RP	Cla-Val	RP2	1 1/4	H
RP	Cla-Val	RP2	1 1/2	H
RP	Cla-Val	RP4	2	H
RP	Cla-Val	RP4	2 1/2	H
RP	Cla-Val	RP4	3	H
RP	Cla-Val	RP4	4	H
RP	Cla-Val	RP4	6	H
RP	Cla-Val	RP4	8	H
RP	Cla-Val	RP4	10	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Cla-Val	RP4V	4	VUVU
RP	Conbraco			
RP	Febco	825	2 1/2	H
RP	Febco	825	3	H
RP	Febco	825	4	H
RP	Febco	825	6	H
RP	Febco	825	8	H
RP	Febco	825	10	H
RP	Febco	825D	2 1/2	H
RP	Febco	825D	3	H
RP	Febco	825D	4	H
RP	Febco	825D	6	H
RP	Febco	825D	8	H
RP	Febco	825D	10	H
RP	Febco	825Y	3/4	H
RP	Febco	825Y	1	H
RP	Febco	825Y	1 1/4	H
RP	Febco	825Y	1 1/2	H
RP	Febco	825Y	2	H
RP	Febco	825YA	3/4	H
RP	Febco	825YA	3/4	HVD
RP	Febco	825YA	3/4	VUH
RP	Febco	825YA	3/4	VUVD
RP	Febco	825YA	1	H
RP	Febco	825YA	1	HVD
RP	Febco	825YA	1	VUH
RP	Febco	825YA	1	VUVD
RP	Febco	825YA	1 1/2	H
RP	Febco	825YA	1 1/2	HVD
RP	Febco	825YA	1 1/2	VUH
RP	Febco	825YA	1 1/2	VUVD
RP	Febco	825YA	2	H
RP	Febco	825YA	2	HVD
RP	Febco	825YA	2	VUH
RP	Febco	825YA	2	VUVD
RP	Febco	825YAR	3/4	H
RP	Febco	825YAR	3/4	HVD
RP	Febco	825YAR	3/4	VUH
RP	Febco	825YAR	3/4	VUVD
RP	Febco	825YAR	1	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Febco	825YAR	1	HVD
RP	Febco	825YAR	1	VUH
RP	Febco	825YAR	1	VUVD
RP	Febco	825YAR	1 1/2	H
RP	Febco	825YAR	1 1/2	HVD
RP	Febco	825YAR	1 1/2	VUH
RP	Febco	825YAR	1 1/2	VUVD
RP	Febco	825YAR	2	H
RP	Febco	825YAR	2	HVD
RP	Febco	825YAR	2	VUH
RP	Febco	825YAR	2	VUVD
RP	Febco	825YD	2 1/2	H
RP	Febco	825YD	3	H
RP	Febco	825YD	4	H
RP	Febco	825YD	6	H
RP	Febco	825YD	8	H
RP	Febco	825YD	10	H
RP	Febco	825YR	3/4	H
RP	Febco	825YR	1	H
RP	Febco	825YR	1 1/2	H
RP	Febco	825YR	2	H
RP	Febco	835B	3/4	H
RP	Febco	835B	1	H
RP	Febco	835B	1 1/2	H
RP	Febco	835B	2	H
RP	Febco	860	1/2	H
RP	Febco	860	3/4	H
RP	Febco	860	1	H
RP	Febco	860	1 1/4	H
RP	Febco	860	1 1/2	H
RP	Febco	860	2	H
RP	Febco	860	2 1/2	H
RP	Febco	860	3	H
RP	Febco	860	4	H
RP	Febco	860	6	H
RP	Febco	860	8	H
RP	Febco	860U	1/2	H
RP	Febco	860U	3/4	H
RP	Febco	860U	1	H
RP	Febco	860U	1 1/4	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Febco	860U	1 1/2	H
RP	Febco	860U	2	H
RP	Febco	867	2 1/2	H
RP	Febco	867	3	H
RP	Febco	880	2 1/2	VUVD
RP	Febco	880	3	VUVD
RP	Febco	880	4	VUVD
RP	Febco	880	6	VUVD
RP	Febco	880	8	VUVD
RP	Febco	880	10	VUVD
RP	Febco	880V	2 1/2	VUVD
RP	Febco	880V	2 1/2	VUVU
RP	Febco	880V	3	VUVD
RP	Febco	880V	3	VUVU
RP	Febco	880V	4	VUVD
RP	Febco	880V	4	VUVU
RP	Febco	880V	6	VUVD
RP	Febco	880V	6	VUVU
RP	Febco	880V	8	VUVD
RP	Febco	880V	8	VUVU
RP	Febco	880V	10	VUVD
RP	Febco	880V	10	VUVU
RP	Flomatic	RPZ	3/4	H
RP	Flomatic	RPZ	1	H
RP	Flomatic	RPZ	1 1/2	H
RP	Flomatic	RPZ	2	H
RP	Flomatic	RPZ	2 1/2	H
RP	Flomatic	RPZ	3	H
RP	Flomatic	RPZ	4	H
RP	Flomatic	RPZ	6	H
RP	Flomatic	RPZ	8	H
RP	Flomatic	RPZE	3/4	H
RP	Flomatic	RPZE	1	H
RP	Flomatic	RPZE	1 1/2	H
RP	Flomatic	RPZE	2	H
RP	Flomatic	RPZE II	1/2	H
RP	Flomatic	RPZE II	3/4	H
RP	Flomatic	RPZII	1/2	H
RP	Flomatic	RPZII	3/4	H
RP	Neptune			

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	RainBird			
RP	Watts	009	2 1/2	H
RP	Watts	009	3	H
RP	Watts	009	4	H
RP	Watts	009	6	H
RP	Watts	009M1PCQT	1 1/4	H
RP	Watts	009M1PCQT	1 1/2	H
RP	Watts	009M1PCQT	2	H
RP	Watts	009M1QT	1 1/4	H
RP	Watts	009M1QT	1 1/2	H
RP	Watts	009M1QT	2	H
RP	Watts	009M2PCQT	3/4	H
RP	Watts	009M2PCQT	1	H
RP	Watts	009M2PCQT	1 1/4	H
RP	Watts	009M2PCQT	1 1/2	H
RP	Watts	009M2PCQT	2	H
RP	Watts	009M2QT	3/4	H
RP	Watts	009M2QT	1	H
RP	Watts	009M2QT	1 1/4	H
RP	Watts	009M2QT	1 1/2	H
RP	Watts	009M2QT	2	H
RP	Watts	009M3QT	3/4	H
RP	Watts	009PCQT	1/2	H
RP	Watts	009PCQT	3/4	H
RP	Watts	009PCQT	1	H
RP	Watts	009PCQT	1 1/4	H
RP	Watts	009PCQT	1 1/2	H
RP	Watts	009PCQT	2	H
RP	Watts	009QT	1/4	H
RP	Watts	009QT	3/8	H
RP	Watts	009QT	1/2	H
RP	Watts	009QT	3/4	H
RP	Watts	009QT	1	H
RP	Watts	009QT	1 1/4	H
RP	Watts	009QT	1 1/2	H
RP	Watts	009QT	2	H
RP	Watts	009SSM1PCQT	2	H
RP	Watts	009SSM1QT	2	H
RP	Watts	009SSPCQT	3/4	H
RP	Watts	009SSPCQT	1	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	009SSPCQT	1 1/4	H
RP	Watts	009SSPCQT	1 1/2	H
RP	Watts	009SSPCQT	2	H
RP	Watts	009SSQT	3/4	H
RP	Watts	009SSQT	1	H
RP	Watts	009SSQT	1 1/4	H
RP	Watts	009SSQT	1 1/2	H
RP	Watts	009SSQT	2	H
RP	Watts	909	3	H
RP	Watts	909	4	H
RP	Watts	909	6	H
RP	Watts	909	8	H
RP	Watts	909	10	H
RP	Watts	909BB	2 1/2	H
RP	Watts	909BB	3	H
RP	Watts	909HWQT	3/4	H
RP	Watts	909HWQT	1	H
RP	Watts	909M1	8	H
RP	Watts	909M1	10	H
RP	Watts	909M1HWQT	1 1/4	H
RP	Watts	909M1HWQT	1 1/2	H
RP	Watts	909M1HWQT	2	H
RP	Watts	909M1PCHWQT	1 1/4	H
RP	Watts	909M1PCHWQT	1 1/2	H
RP	Watts	909M1PCHWQT	2	H
RP	Watts	909M1QT	1 1/4	H
RP	Watts	909M1QT	1 1/2	H
RP	Watts	909M1QT	2	H
RP	Watts	909M1QTFDA	8	H
RP	Watts	909M1QTFDA	10	H
RP	Watts	909PCHWQT	3/4	H
RP	Watts	909PCHWQT	1	H
RP	Watts	909PCM1QT	1 1/4	H
RP	Watts	909PCM1QT	1 1/2	H
RP	Watts	909PCM1QT	2	H
RP	Watts	909PCQT	3/4	H
RP	Watts	909PCQT	3/4	VU
RP	Watts	909PCQT	1	H
RP	Watts	909PCQT	1	VU
RP	Watts	909QT	3/4	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	909QT	3/4	VU
RP	Watts	909QT	1	H
RP	Watts	909QT	1	VU
RP	Watts	909QTFDA	2 1/2	H
RP	Watts	909QTFDA	2 1/2	H
RP	Watts	909QTFDA	3	H
RP	Watts	909QTFDA	4	H
RP	Watts	909QTFDA	6	H
RP	Watts	919AQT	3/4	VUVD
RP	Watts	919AQT	1	VUVD
RP	Watts	919AQT	1 1/4	VUVD
RP	Watts	919AQT	1 1/2	VUVD
RP	Watts	919AQT	2	VUVD
RP	Watts	919QT	3/4	H
RP	Watts	919QT	3/4	VD
RP	Watts	919QT	1	H
RP	Watts	919QT	1	VD
RP	Watts	919QT	1 1/4	H
RP	Watts	919QT	1 1/4	VD
RP	Watts	919QT	1 1/2	H
RP	Watts	919QT	1 1/2	VD
RP	Watts	919QT	2	H
RP	Watts	919QT	2	VD
RP	Watts	919ZQT	3/4	VUVU
RP	Watts	919ZQT	1	VUVU
RP	Watts	919ZQT	1 1/4	VUVU
RP	Watts	919ZQT	1 1/2	VUVU
RP	Watts	919ZQT	2	VUVU
RP	Watts	957	2 1/2	H
RP	Watts	957	3	H
RP	Watts	957	4	H
RP	Watts	957	6	H
RP	Watts	957	8	H
RP	Watts	957N	2 1/2	VUVD
RP	Watts	957N	3	VUVD
RP	Watts	957N	4	VUVD
RP	Watts	957Z	2 1/2	VUVU
RP	Watts	957Z	3	VUVU
RP	Watts	957Z	4	VUVU
RP	Watts	967	2 1/2	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	967	3	H
RP	Watts	967	4	H
RP	Watts	967	6	H
RP	Watts	967N	2 1/2	VUVD
RP	Watts	967N	3	VUVD
RP	Watts	967Z	2 1/2	VUVU
RP	Watts	967Z	3	VUVU
RP	Watts	990	4	H
RP	Watts	990	8	H
RP	Watts	990QTFDA	4	H
RP	Watts	990QTFDA	8	H
RP	Watts	992	4	H
RP	Watts	992	10	H
RP	Watts	994	2 1/2	H
RP	Watts	994	3	H
RP	Watts	994	4	H
RP	Watts	994	6	H
RP	Watts	995QT	1/2	H
RP	Watts	995QT	3/4	H
RP	Watts	995QT	1	H
RP	Watts	995QT	1 1/4	H
RP	Watts	995QT	1 1/2	H
RP	Watts	FAE909HWQT	1 1/4	H
RP	Watts	FAE909HWQT	1 1/2	H
RP	Watts	FAE909HWQT	2	H
RP	Watts	FAE909QT	1 1/4	H
RP	Watts	FAE909QT	1 1/2	H
RP	Watts	FAE909QT	2	H
RP	Watts	LF919AQT	3/4	VUVD
RP	Watts	LF919AQT	1	VUVD
RP	Watts	LF919AQT	1 1/4	VUVD
RP	Watts	LF919AQT	1 1/2	VUVD
RP	Watts	LF919AQT	2	VUVD
RP	Watts	LF919QT	3/4	H
RP	Watts	LF919QT	3/4	VD
RP	Watts	LF919QT	1	H
RP	Watts	LF919QT	1	VD
RP	Watts	LF919QT	1 1/4	H
RP	Watts	LF919QT	1 1/4	VD
RP	Watts	LF919QT	1 1/2	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	LF919QT	1 1/2	VD
RP	Watts	LF919QT	2	H
RP	Watts	LF919QT	2	VD
RP	Watts	LF919ZQT	3/4	VUVU
RP	Watts	LF919ZQT	1	VUVU
RP	Watts	LF919ZQT	1 1/4	VUVU
RP	Watts	LF919ZQT	1 1/2	VUVU
RP	Watts	LF919ZQT	2	VUVU
RP	Watts	LFU919AQT	3/4	VUVD
RP	Watts	LFU919AQT	1	VUVD
RP	Watts	LFU919AQT	1 1/4	VUVD
RP	Watts	LFU919AQT	1 1/2	VUVD
RP	Watts	LFU919AQT	2	VUVD
RP	Watts	LFU919QT	3/4	H
RP	Watts	LFU919QT	1	H
RP	Watts	LFU919QT	1	VD
RP	Watts	LFU919QT	1 1/4	H
RP	Watts	LFU919QT	1 1/4	VD
RP	Watts	LFU919QT	1 1/2	H
RP	Watts	LFU919QT	1 1/2	VD
RP	Watts	LFU919QT	2	H
RP	Watts	LFU919QT	2	VD
RP	Watts	SS009M3QT	1/4	H
RP	Watts	SS009M3QT	3/8	H
RP	Watts	SS009M3QT	1/2	H
RP	Watts	SS009M3QT	3/4	H
RP	Watts	SS009QT	1	H
RP	Watts	U009APCQT	3/4	VDVD
RP	Watts	U009APCQT	3/4	VDVU
RP	Watts	U009APCQT	3/4	VUVD
RP	Watts	U009APCQT	3/4	VUVU
RP	Watts	U009APCQT	1	VDVD
RP	Watts	U009APCQT	1	VDVU
RP	Watts	U009APCQT	1	VUVD
RP	Watts	U009APCQT	1	VUVU
RP	Watts	U009AQT	3/4	VDVD
RP	Watts	U009AQT	3/4	VDVU
RP	Watts	U009AQT	3/4	VUVD
RP	Watts	U009AQT	3/4	VUVU
RP	Watts	U009AQT	1	VDVD

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	U009AQT	1	VDVU
RP	Watts	U009AQT	1	VUVD
RP	Watts	U009AQT	1	VUVU
RP	Watts	U009M1APCQT	1 1/2	VDVD
RP	Watts	U009M1APCQT	1 1/2	VDVU
RP	Watts	U009M1APCQT	1 1/2	VUVD
RP	Watts	U009M1APCQT	1 1/2	VUVU
RP	Watts	U009M1APCQT	2	VDVD
RP	Watts	U009M1APCQT	2	VDVU
RP	Watts	U009M1APCQT	2	VUVD
RP	Watts	U009M1APCQT	2	VUVU
RP	Watts	U009M1AQT	1 1/2	VDVD
RP	Watts	U009M1AQT	1 1/2	VDVU
RP	Watts	U009M1AQT	1 1/2	VUVD
RP	Watts	U009M1AQT	1 1/2	VUVU
RP	Watts	U009M1AQT	2	VDVD
RP	Watts	U009M1AQT	2	VDVU
RP	Watts	U009M1AQT	2	VUVD
RP	Watts	U009M1AQT	2	VUVU
RP	Watts	U009M1PCQT	1 1/4	H
RP	Watts	U009M1PCQT	1 1/2	H
RP	Watts	U009M1PCQT	2	H
RP	Watts	U009M1QT	1 1/4	H
RP	Watts	U009M1QT	1 1/2	H
RP	Watts	U009M1QT	2	H
RP	Watts	U009M2APCQT	1	VDVD
RP	Watts	U009M2APCQT	1	VDVU
RP	Watts	U009M2APCQT	1	VUVD
RP	Watts	U009M2APCQT	1	VUVU
RP	Watts	U009M2APCQT	1 1/2	VDVD
RP	Watts	U009M2APCQT	1 1/2	VDVU
RP	Watts	U009M2APCQT	1 1/2	VUVD
RP	Watts	U009M2APCQT	1 1/2	VUVU
RP	Watts	U009M2APCQT	2	VDVD
RP	Watts	U009M2APCQT	2	VDVU
RP	Watts	U009M2APCQT	2	VUVD
RP	Watts	U009M2APCQT	2	VUVU
RP	Watts	U009M2AQT	1	VDVD
RP	Watts	U009M2AQT	1	VDVU
RP	Watts	U009M2AQT	1	VUVD

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	U009M2AQT	1	VUVU
RP	Watts	U009M2AQT	1 1/2	VDVD
RP	Watts	U009M2AQT	1 1/2	VDVU
RP	Watts	U009M2AQT	1 1/2	VUVD
RP	Watts	U009M2AQT	1 1/2	VUVU
RP	Watts	U009M2AQT	2	VDVD
RP	Watts	U009M2AQT	2	VDVU
RP	Watts	U009M2AQT	2	VUVD
RP	Watts	U009M2AQT	2	VUVU
RP	Watts	U009M2PCQT	1	H
RP	Watts	U009M2PCQT	1 1/2	H
RP	Watts	U009M2PCQT	2	H
RP	Watts	U009M2QT	3/4	H
RP	Watts	U009M2QT	1	H
RP	Watts	U009M2QT	1 1/2	H
RP	Watts	U009M2QT	2	H
RP	Watts	U009PCQT	1/2	H
RP	Watts	U009PCQT	3/4	H
RP	Watts	U009PCQT	1	H
RP	Watts	U009PCQT	1 1/4	H
RP	Watts	U009PCQT	1 1/2	H
RP	Watts	U009PCQT	2	H
RP	Watts	U009QT	1/2	H
RP	Watts	U009QT	3/4	H
RP	Watts	U009QT	1	H
RP	Watts	U009QT	1 1/4	H
RP	Watts	U009QT	1 1/2	H
RP	Watts	U009QT	2	H
RP	Watts	U009SSPCQT	3/4	H
RP	Watts	U009SSPCQT	1	H
RP	Watts	U009SSPCQT	1 1/4	H
RP	Watts	U009SSPCQT	1 1/2	H
RP	Watts	U009SSPCQT	2	H
RP	Watts	U009SSQT	3/4	H
RP	Watts	U009SSQT	1	H
RP	Watts	U009SSQT	1 1/4	H
RP	Watts	U009SSQT	1 1/2	H
RP	Watts	U009SSQT	2	H
RP	Watts	U909HWQT	3/4	H
RP	Watts	U909HWQT	1	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Watts	U909QT	3/4	H
RP	Watts	U909QT	3/4	VU
RP	Watts	U909QT	1	H
RP	Watts	U909QT	1	VU
RP	Watts	U919AQT	3/4	VUVD
RP	Watts	U919AQT	1	VUVD
RP	Watts	U919AQT	1 1/4	VUVD
RP	Watts	U919AQT	1 1/2	VUVD
RP	Watts	U919AQT	2	VUVD
RP	Watts	U919QT	1	H
RP	Watts	U919QT	1	VD
RP	Watts	U919QT	1 1/4	H
RP	Watts	U919QT	1 1/4	VD
RP	Watts	U919QT	1 1/2	H
RP	Watts	U919QT	1 1/2	VD
RP	Watts	U919QT	2	H
RP	Watts	U919QT	2	VD
RP	Wilkins	375	3/4	H
RP	Wilkins	375	1	H
RP	Wilkins	375	2 1/2	H
RP	Wilkins	375	3	H
RP	Wilkins	375	4	H
RP	Wilkins	375	6	H
RP	Wilkins	375	8	H
RP	Wilkins	375	10	H
RP	Wilkins	375A	4	H
RP	Wilkins	375A	6	H
RP	Wilkins	375A	8	H
RP	Wilkins	375A	10	H
RP	Wilkins	375MS	2 1/2	H
RP	Wilkins	375MS	3	H
RP	Wilkins	375MS	4	H
RP	Wilkins	375MS	6	H
RP	Wilkins	375MS	8	H
RP	Wilkins	375MS	10	H
RP	Wilkins	375XL	3/4	H
RP	Wilkins	375XL	1	H
RP	Wilkins	475	2 1/2	VUVD
RP	Wilkins	475	3	VUVD
RP	Wilkins	475	4	VUVD

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Wilkins	475	6	VUVD
RP	Wilkins	475	8	VUVD
RP	Wilkins	475	10	VUVD
RP	Wilkins	475MS	2 1/2	VUVD
RP	Wilkins	475MS	3	VUVD
RP	Wilkins	475MS	4	VUVD
RP	Wilkins	475MS	6	VUVD
RP	Wilkins	475MS	8	VUVD
RP	Wilkins	475MS	10	H
RP	Wilkins	475V	2 1/2	VUVU
RP	Wilkins	475V	3	VUVU
RP	Wilkins	475V	4	VUVU
RP	Wilkins	475V	6	VUVU
RP	Wilkins	475V	8	VUVU
RP	Wilkins	475V	10	VUVU
RP	Wilkins	475VMS	2 1/2	VUVU
RP	Wilkins	475VMS	3	VUVU
RP	Wilkins	475VMS	4	VUVU
RP	Wilkins	475VMS	6	VUVU
RP	Wilkins	475VMS	8	VUVU
RP	Wilkins	475VMS	10	H
RP	Wilkins	575	3/4	H
RP	Wilkins	575	1	H
RP	Wilkins	575	2 1/2	H
RP	Wilkins	575	3	H
RP	Wilkins	575	4	H
RP	Wilkins	575	6	H
RP	Wilkins	575 (MOD-III)	1 1/4	H
RP	Wilkins	575 (MOD-III)	1 1/2	H
RP	Wilkins	575 (MOD-III)	2	H
RP	Wilkins	575A	3/4	H
RP	Wilkins	575A	1	H
RP	Wilkins	575M10	10	H
RP	Wilkins	575M8	8	H
RP	Wilkins	975	3/4	H
RP	Wilkins	975	1	H
RP	Wilkins	975	1 1/4	H
RP	Wilkins	975	1 1/2	H
RP	Wilkins	975	2	H
RP	Wilkins	975	2 1/2	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Wilkins	975	3	H
RP	Wilkins	975	4	H
RP	Wilkins	975	6	H
RP	Wilkins	975	8	H
RP	Wilkins	975	10	H
RP	Wilkins	975A	3/4	H
RP	Wilkins	975A	1	H
RP	Wilkins	975A	1 1/4	H
RP	Wilkins	975A	1 1/2	H
RP	Wilkins	975A	2	H
RP	Wilkins	975BMS	2 1/2	H
RP	Wilkins	975BMS	3	H
RP	Wilkins	975BMS	4	H
RP	Wilkins	975BMS	6	H
RP	Wilkins	975BMS	8	H
RP	Wilkins	975BMS	10	H
RP	Wilkins	975MS	2 1/2	H
RP	Wilkins	975MS	3	H
RP	Wilkins	975MS	4	H
RP	Wilkins	975MS	6	H
RP	Wilkins	975MS	8	H
RP	Wilkins	975MS	10	H
RP	Wilkins	975XL	1/4	H
RP	Wilkins	975XL	3/8	H
RP	Wilkins	975XL	1/2	H
RP	Wilkins	975XL	3/4	H
RP	Wilkins	975XL	1	H
RP	Wilkins	975XL	1 1/4	H
RP	Wilkins	975XL	1 1/2	H
RP	Wilkins	975XL	2	H
RP	Wilkins	975XLBMS	3/4	H
RP	Wilkins	975XLBMS	1	H
RP	Wilkins	975XLBMS	1 1/4	H
RP	Wilkins	975XLBMS	1 1/2	H
RP	Wilkins	975XLBMS	2	H
RP	Wilkins	975XLD	3/4	H
RP	Wilkins	975XLMS	3/4	H
RP	Wilkins	975XLMS	1	H
RP	Wilkins	975XLMS	1 1/4	H
RP	Wilkins	975XLMS	1 1/2	H

List of Approved Backflow Prevention Assemblies

25 September 2007

2007 © University of Southern California

Type	Manufacturer	Model	Size	Orientation(s)
RP	Wilkins	975XLMS	2	H
RP	Wilkins	975XLSE	3/4	VUVD
RP	Wilkins	975XLSE	3/4	VUVU
RP	Wilkins	975XLSE	1	VUVD
RP	Wilkins	975XLSE	1	VUVU
RP	Wilkins	975XLSE	1 1/4	VUVD
RP	Wilkins	975XLSE	1 1/4	VUVU
RP	Wilkins	975XLSE	1 1/2	VUVD
RP	Wilkins	975XLSE	1 1/2	VUVU
RP	Wilkins	975XLSE	2	VUVD
RP	Wilkins	975XLSE	2	VUVU
RP	Wilkins	975XLSEU	3/4	VUVD
RP	Wilkins	975XLSEU	3/4	VUVU
RP	Wilkins	975XLSEU	1	VUVD
RP	Wilkins	975XLSEU	1	VUVU
RP	Wilkins	975XLSEU	1 1/4	VUVD
RP	Wilkins	975XLSEU	1 1/4	VUVU
RP	Wilkins	975XLSEU	1 1/2	VUVD
RP	Wilkins	975XLSEU	1 1/2	VUVU
RP	Wilkins	975XLSEU	2	VUVD
RP	Wilkins	975XLSEU	2	VUVU
RP	Wilkins	975XLST	3/8	H
RP	Wilkins	975XLST	1/2	H
RP	Wilkins	975XLTCU	1/2	H
RP	Wilkins	975XLTCU	3/4	H
RP	Wilkins	975XLTCU	1	H
RP	Wilkins	975XLTCU	1 1/4	H
RP	Wilkins	975XLTCU	1 1/2	H
RP	Wilkins	975XLTCU	2	H
RP	Wilkins	975XLU	3/4	H
RP	Wilkins	975XLU	1	H
RP	Wilkins	975XLU	1 1/2	H
RP	Wilkins	975XLU	2	H
RP	Wilkins	975XLV	3/4	VUVD
RP	Wilkins	975XLV	3/4	VUVU
RP	Wilkins	975XLV	1	VUVD
RP	Wilkins	975XLV	1	VUVU